



China 608 Bearing Supplier



Deep Groove Ball Bearing SKF NSK Koyo 16006 Open Zz 2rz 2RS for Motorcycles Bearing

Bearing No. 16006

16006 Bearing 2D drawings and 3D CAD models

Size	30x55x9 mm
Bore Diameter	30 mm
Outer Diameter	55 mm
Width	9 mm
d	30 mm
D	55 mm
B	9 mm
C	9 mm
r min.	0,3 mm
da min.	32 mm
Da max.	53 mm
ra max.	0,3 mm
Weight	0,085 Kg
Basic dynamic load rating (C)	11,2 kN
Basic static load rating (C0)	7,35 kN
(Grease) Lubrication Speed	13000 r/min
(Oil) Lubrication Speed	15000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.094
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0



China 608 Bearing Supplier

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	30MM Bore; 55MM Outside Diameter; 9MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	16006
Weight / LBS	0.206
Outside Diameter	2.165 Inch 55 Millimeter
Outer Race Width	0.354 Inch 9 Millimeter
Bore	1.181 Inch 30 Millimeter
Bearing No.	16006
r(min)	0.3
Cr	14.1
C0r	7.35
Cu	0.440
f0	15.2
Grease lub.	13000
Oil lub.	15000



China 608 Bearing Supplier

da(min)	32
Da(max)	53
ra(max)	0.3
(Refer.)Mass(kg)	0.085